

# 6.3000: Signal Processing

## Speech

**Quiz 2:** April 16, 2-4pm, 50-340 (Walker).

- Closed book except for two pages of notes (four sides total)
- No electronic devices. (No headphones, cellphones, calculators, ...)
- Coverage up to and including classes on April 9 and HW 8.

More information under the **Quiz 2 Information** tab of the 6.300 website.  
There is no HW 9.


If you have personal or medical difficulties, please contact S<sup>3</sup> and/or 6.3000-instructors@mit.edu for accommodations.

*April 14, 2026*

## Speech Production

---

Motions of lips and chin are essential to speech production.  
But how does it work?




Cross-section of human head showing forehead, nose, lips, chin, and neck.

## Speech Production


---

X-ray movie showing speech in production.



# Source/Filter Model of Speech Production


Two parts of speech production: the **source** and the **filter**.



## Source/Filter Model of Speech Production


Controlled by complicated muscles, vocal cords are set in vibration by the passage of air from the lungs.

Looking down the throat:




Gray's Anatomy

Vocal cords open



Vocal cords closed




Adapted from T.F. Weiss

During voiced speech, the glottis generates puffs of air that are a few ms in duration. The frequency of puffs ranges from 100–300 Hz.

## Source/Filter Model of Speech Production

Vibrations of the vocal cords are “filtered” by the mouth and nasal cavities to generate speech.



buzz from  
vocal cords



mouth, lips and  
nasal cavities



speech

## Demonstration

---

Physical model of the vocal tract.













Buzzer represents sound from glottis.

Machined cavities represent vocal tract.

Chiba and Kajiyama Model replicated by Takayuki Arai.


# Source/Filter Model of Speech Production

Vowels sound different because mouth and lip positions are different.









# Source/Filter Model of Speech Production

Harmonic content is natural way to describe vowel sounds.




# Source/Filter Model of Speech Production

Harmonic content is natural way to describe vowel sounds.



## Formants

Resonant frequencies of the vocal tract.\*




	Formant	heed	head	had	hod	haw'd	who'd
Men	F1	270	530	660	730	570	300
	F2	2290	1840	1720	1090	840	870
	F3	3010	2480	2410	2440	2410	2240
Women	F1	310	610	860	850	590	370
	F2	2790	2330	2050	1220	920	950
	F3	3310	2990	2850	2810	2710	2670
Children	F1	370	690	1010	1030	680	430
	F2	3200	2610	2320	1370	1060	1170
	F3	3730	3570	3320	3170	3180	3260

\* <http://www.sfu.ca/sonic-studio/handbook/Formant.html>

## Formants

Formant frequencies for common vowels.\*




\* <https://linguistics.ucla.edu/people/hayes/103/Charts/VChart>


# Speech Production

Same glottis signal + different formants  $\rightarrow$  different vowels.








glottis signal



vocal tract filter



vowel sound



We detect changes in the filter function to recognize vowels.

## Singing

---

We detect changes in the filter function to recognize vowels  
... at least sometimes.

Demonstration.

“la” scale.

“lore” scale.

“loo” scale.

“ler” scale.

“lee” scale.


Low Frequency: “la” “lore” “loo” “ler” “lee” .

High Frequency: “la” “lore” “loo” “ler” “lee” .


# Speech Production

Same glottis signal + different formants  $\rightarrow$  different vowels.








glottis signal



vocal tract filter



vowel sound




We detect changes in the filter function to recognize vowels.


# Speech Production

Same glottis signal + different formants  $\rightarrow$  different vowels.








glottis signal



vocal tract filter



vowel sound




We detect changes in the filter function to recognize vowels.


# Speech Production

Same glottis signal + different formants  $\rightarrow$  different vowels.








glottis signal



vocal tract filter




vowel sound



We detect changes in the filter function to recognize vowels.

# Time and Frequency Structure of Speech


Time plot & spectrogram of "flights from Denver to San Francisco."



## Model of Running Speech

---

Model of speech production.



### Acoustic sources:


- pulse train with period  $N_p$  for voiced utterances
- gaussian noise for unvoiced utterances

**Gain:**  $G$  controls loudness

**Vocal tract:** filter represented shapes of mouth, tongue, and lips

## Model of Running Speech

"Flights from Denver ..." was analyzed with the source/filter model and a new sound was produced using a modified model



What part of the model was changed?

1. Original
2. Modification #1
3. Modification #2
4. Modification #3

## Summary

---

### Introduction to speech processing

- source/filter model of speech production
- speech analysis
- speech synthesis